

P5	P4	P3 P31	P2	P1
<p>FURRING (TO U/S CEILING): 41mm STEEL STUD @ 400 O.C. 13mm GYPSUM BOARD</p>	<p>INTERIOR PARTITION (TO U/S CEILING): 13mm GYPSUM BOARD 92mm STEEL STUD 13mm GYPSUM BOARD</p>	<p>INTERIOR PARTITION (TO U/S DECK): 13mm GYPSUM BOARD 152mm STEEL STUD 13mm GYPSUM BOARD</p>	<p>45min. F.R.R. WALL (TO U/S DECK): 13mm TYPE X GYPSUM BOARD 152mm STEEL STUD MINERAL FIBRE INSULATION 13mm TYPE X GYPSUM BOARD</p>	<p>EXTERIOR WALL (TO U/S DECK): 13mm GYPSUM BOARD (INTERIOR SIDE) 203mm STRUCTURAL STUD 13mm DENSGLASS GOLD SHEATHING (EXTERIOR SIDE) EIFS (NOT SHOWN)</p>
	<p>NOTES: 1. STEEL STUD TO BE 362S125-18 @400 O.C.</p>	<p>NOTES: 1. STEEL STUD TO BE 600S125-18 @300 O.C. OR 600S125-33 @600 O.C. PROVIDE HORIZONTAL BRACING AS REQUIRED. 2. P31 - PROVIDE ACOUSTIC INSULATION TO 3000 HIGH.</p>	<p>NOTES: 1. REFER TO ULC DESIGN NO. W453. 2. STEEL STUD TO BE 600S125-18 @300 O.C. OR 600S125-33 @600 O.C. PROVIDE HORIZONTAL BRACING AS REQUIRED.</p>	<p>NOTES: 1. SEE STRUCTURAL DWG. FOR STEEL STUD.</p>

The contractor shall check all dimensions and other data from the job and report any discrepancies to the architects before proceeding. Do not scale drawing.


1	ISSUED FOR PRELIMINARY REVIEW	2014-09-10
2	ISSUED FOR SPA -1	2015-02-26
3	ISSUED FOR SPA -2	2015-05-22
4	ISSUED FOR BUILDING PERMIT	2015-08-05
5	ISSUED FOR CONSTRUCTION	2016-03-02
NO.	REVISIONS	DATE
1	DETAILS ADDED AS PER PERMIT COMMENTS	2015-10-27
2	SI #01	2016-07-20

DONALD J. CAUNTER ARCHITECT LIMITED
40 ST. CLAIR AVENUE EAST, SUITE 302, TORONTO, ONTARIO, M4T 1M9
TEL: (416) 922-2040


NAME OF PROJECT: NEW WAREHOUSE
LOCATION: 190 INDUSTRIAL PARKWAY SOUTH, AURORA

ITEM	ONTARIO BUILDING CODE DATA MATRIX PARTS 3 OR 9	BUILDING CODE REFERENCE REFERENCES ARE TO DIVISION B UNLESS NOTED (A) FOR DIVISION A OR (C) FOR DIVISION C.
1	PROJECT DESCRIPTION: <input checked="" type="checkbox"/> NEW <input type="checkbox"/> PART 11 <input type="checkbox"/> ADDITION <input type="checkbox"/> CHANGE OF USE <input type="checkbox"/> ALTERATION	<input checked="" type="checkbox"/> PART 3 <input type="checkbox"/> PART 9 1.1.2.[A] 1.1.2.[A] & 9.10.1.3
2	MAJOR OCCUPANCY(S) F2	3.1.2.1.(1) 9.10.2
3	BUILDING AREA (m ²) EXISTING NEW 636 TOTAL 636	1.4.1.2.[A] 1.4.1.2.[A]
4	GROSS AREA EXISTING NEW 636 TOTAL 636	1.4.1.2.[A] 1.4.1.2.[A]
5	NUMBER OF STOREYS ABOVE GRADE 1 BELOW GRADE 0	1.4.1.2.[A] & 3.2.1.1. 1.4.1.2.[A] & 9.10.4
6	NUMBER OF STREETS/FIRE FIGHTER ACCESS 1	3.2.2.10 & 3.2.5. 9.10.20.
7	BUILDING CLASSIFICATION 3.2.2.71	3.2.2.20-83 9.10.2.
8	SPRINKLER SYSTEM PROPOSED <input checked="" type="checkbox"/> ENTIRE BUILDING <input type="checkbox"/> SELECTED COMPARTMENTS <input type="checkbox"/> SELECTED FLOOR AREAS <input type="checkbox"/> BASEMENT <input type="checkbox"/> IN LIEU OF ROOF RATING <input checked="" type="checkbox"/> NOT REQUIRED BY CODE	3.2.2.20-83 9.10.8.2. 3.2.1.5 3.2.2.17 INDEX INDEX INDEX
9	STANDPIPE REQUIRED <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	3.2.9. N/A
10	FIRE ALARM REQUIRED <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	3.2.4. 9.10.18.
11	WATER SERVICE/SUPPLY IS ADEQUATE <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	3.2.5.7. N/A
12	HIGH BUILDING <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	3.2.6. N/A
13	CONSTRUCTION RESTRICTIONS <input checked="" type="checkbox"/> COMBUSTIBLE PERMITTED <input type="checkbox"/> NON-COMBUSTIBLE PERMITTED <input type="checkbox"/> BOTH PERMITTED	3.2.2.20-83 9.10.6.
14	MEZZANINE(S) AREA (m ²) N/A	3.2.1.1.(3)-(8) 9.10.4.1.
15	OCCUPANT LOAD BASED ON <input type="checkbox"/> m ² /PERSON <input checked="" type="checkbox"/> DESIGN OF BUILDING	3.1.1.7. 9.9.1.3.
16	BARRIER-FREE DESIGN <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO (EXPLAIN)	3.8. 9.5.2.
17	HAZARDOUS SUBSTANCES <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	3.3.1.2. & 3.3.1.19. 9.10.1.3.(4)
18	REQUIRED FIRE RESISTANCE RATING (FRR) HORIZONTAL ASSEMBLIES FLOORS N/A HOURS ROOF NONE HOURS MEZZANINE N/A HOURS FRR OF SUPPORTING MEMBERS FLOORS N/A HOURS ROOF NONE HOURS MEZZANINE NONE HOURS	LISTED DESIGN No. OR DESCRIPTION (SG-2) 3.2.2.20-83 & 3.2.1.4. 9.10.8. 9.10.9.
19	SPATIAL SEPARATION - CONSTRUCTION OF EXTERIOR WALLS TABLE 3.2.3.1.E	3.2.3. 9.10.14.
20	PLUMBING FIXTURE REQUIREMENTS MALE/FEMALE COUNT @ 50%/50% EXCEPT AS NOTED OTHERWISE OCCUPANT LOAD BC TABLE NUMBER FIXTURES REQUIRED FIXTURES PROVIDED	PART 3 REF. PART 9 REF.
21	OTHER - SPATIAL SEPARATION - CONSTRUCTION OF EXTERIOR WALLS - EXISTING BUILDING TABLE 3.2.3.1.E	

OBC NOTES:
1. SEPARATION OF SUITES - 45min. F.R.R. [3.3.1.1.(2)]
2. TRAVEL DISTANCE - 45m [3.4.2.5.(1)(c)]
3. SERVICE SPACE - F.R.R. NOT REQUIRED FOR SPRINKLERED BUILDING [3.6.2.1.(7)]



2 AREAS
1:200



1 GROUND FLOOR PLAN
1:100


NOTES:
1. DIMENSIONS SHOWN ARE TO FACE OF CONCRETE, CONCRETE BLOCK, STEEL STUD UNLESS NOTED AS 'CL' WHICH INDICATES CLEAR WIDTH REQUIRED.

Owner
JOCHRI INVESTMENTS LIMITED

Drawing Title
FLOOR PLAN & MATRIX

Project Title
NEW WAREHOUSE

190 INDUSTRIAL PARKWAY SOUTH AURORA



Donald J. Caunter Architect Limited

40 St. Clair Ave. East, Suite 302, Toronto, ON M4T 1M9 (416) 922-2040

Approved	DC	Checked	DC	Drawn By	WT
Scale	1:100	Date	2014-09-10	File No.	116902
Drawing Number				Revision Number	

A-102 R2